

# Car Safety Seats 2019 Guide

One of the most important jobs you have as a parent is keeping your child safe when riding in a vehicle.

Each year, thousands of young children are killed or injured in car crashes. Proper use of car safety seats helps keep children safe. But with so many different seats on the market, many parents find this overwhelming. If you are expectant parents, give yourselves enough time to learn how to properly install the car safety seat in your car before your baby is born to ensure a safe ride home from the hospital. (See *If You Need Installation Help.*)

The type of seat your child needs depends on several things, including your child's age, size, and developmental needs. Read on for more information from the American Academy of Pediatrics (AAP) about choosing the most appropriate car safety seat for your child. (See *Car Safety Seats 2019 List* for a list of seats and manufacturer Web sites.)

**NOTE:** The "Types of Car Safety Seats at a Glance" chart is a quick guide on where to start your search. It's important to continue your research to learn about each seat you use.

## Installation Information—Seat Belts and LATCH

Car safety seats may be installed with either the vehicle's seat belt or its LATCH (lower anchors and tethers for children) system. LATCH is an attachment system for car safety seats. Lower anchors can be used instead of the seat belt to install the seat, and many parents find them easier to use in some cars. The top tether improves safety provided by the seat and is important to use for all forward-facing seats, even those installed using the vehicle seat belt. Although the seat belt and LATCH systems are equally safe, caregivers may prefer one system instead of the other. Keep in mind that only one system should be used unless the car safety seat and vehicle manufacturer say it is OK to use 2 systems at the same time.

Vehicles with the LATCH system have lower anchors located in the back seat, where the seat cushions meet. Tether anchors are located behind the seat, either on the panel behind the seat (in sedans) or on the back of the seat, ceiling, or floor (in most minivans, SUVs, hatchbacks, and pickup trucks). All forward-facing car safety seats have tether attachments that fasten to these anchors. Nearly all passenger vehicles and all car safety seats made on or after September 1, 2002, are equipped to use LATCH. See vehicle owner's manual for highest weight of child allowed to use top tether.

All lower anchors are rated for a maximum weight of 65 pounds (total weight includes car safety seat and child). Parents should check the car safety seat manufacturer's recommendations for maximum weight a child can be to use lower anchors. New car safety seats have the maximum weight printed on their label.

**NOTE: Seat belts**—If you install a car safety seat using your vehicle's seat belt, you must make sure the seat belt locks to help get a tight fit. In most newer cars, you can lock the seat belt by pulling it all the way out and then allowing it to retract to keep the seat belt tight around the car safety seat. In addition, many car safety seats have built-in lock-offs to lock the belt without having to lock the seat belt separately as well. Refer to the vehicle owner's manual for details about how your seat belt locks.

Middle of the back seat—The safest place to ride for all children younger than 13 years is the back seat. If possible, it may be best to ride in the middle of the back seat. However, it is sometimes difficult to install a car safety seat tightly in the middle if the vehicle seat is narrow or uneven. Also, many vehicles do not have lower anchors for the middle seating position. It is safest to put the car safety seat in a position where you can install it tightly with either

the lower anchor system or the seat belt; in some cases, this may be on either side of the back seat rather than the middle. A child passenger safety technician (CPST) can help you decide which place is best to install your child's car safety seat in your vehicle.

# Infants and Toddlers—Rear-Facing Seats

The AAP recommends that all infants ride rear facing starting with their first ride home from the hospital. All infants and toddlers should ride in a rear-facing seat until they reach the highest weight or height allowed by their car safety seat manufacturer. Most convertible seats have limits that will allow children to ride rear facing for 2 years or more. When infants outgrow their rear-facing-only seat, a convertible seat installed rear facing is needed. All parents can benefit from getting installation help from a CPST to ensure that their seat is properly installed. (See If You Need Installation Help on page 5.)

#### **Types of Rear-Facing Seats**


Three types of rear-facing seats are available: rear-facing-only, convertible, and 3-in-1. When children reach the highest weight or length allowed by the manufacturer of their rear-facing-only seat, they should continue to ride rear facing in a convertible or 3-in-1 seat.

#### 1. Rear-facing-only seats

- $\boldsymbol{\cdot}$  Are used for infants up to 22 to 35 pounds, depending on the model.
- $\boldsymbol{\cdot}$  Are small and have carrying handles.
- Usually come with a base that can be left in the car. The seat clicks into and out of the base so you don't have to install it each time you use it. Parents can buy more than one base for additional vehicles.
- Should be used only for travel (not sleeping, feeding, or any other use outside the vehicle).

#### 2. Convertible seats (used rear facing)

• Can be used rear facing and, later, "converted" to forward facing for older children when they outgrow either the weight limit or the length limit for rear facing. This means the seat can be used longer by your child. They are bulkier than infant seats, however, and they do not come with carrying handles or separate bases and are designed to stay in the car.



**Figure 1.** Car safety seat with LATCH.

- Many have higher limits in rearfacing weight (up to 40-50 pounds) and height than rear-facing-only seats, which make them ideal for bigger babies and toddlers.
- $\bullet$  Have a 5-point harness that attaches at the shoulders, at the hips, and between the legs.
- Should be used only for travel (not sleeping, feeding, or any other use outside the vehicle).

#### 3. 3-in-1 seats (used rear facing)

• Can be used rear facing, forward facing, or as a belt-positioning booster. This means the seat may be used longer by your child as your child grows.

Types of Car Safety Seats at a Glance		
Age-group	Type of Seat	General Guidelines
Infants and toddlers	Rear-facing-only	All infants and toddlers should ride in a rear-facing seat until they reach the highest
	Rear-facing convertible	weight or height allowed by their car safety seat manufacturer. Most convertible seats have limits that will allow children to ride rear facing for 2 years or more.
Toddlers and preschoolers	Forward-facing convertible	Children who have outgrown the rear-facing weight or height limit for their convertible
	Forward-facing with harness	seat should use a forward-facing seat with a harness for as long as possible, up to the highest weight or height allowed by their car safety seat manufacturer. Many seats can accommodate children up to 65 pounds or more.
School-aged children	Booster	All children whose weight or height exceeds the forward-facing limit for their car safety seat should use a belt-positioning booster seat until the vehicle seat belt fits properly, typically when they have reached 4 feet 9 inches in height and are 8 through 12 years of age. All children younger than 13 years should ride in the back seat.
Older children	Seat belts	When children are old enough and large enough for the vehicle seat belt to fit them correctly, they should always use lap and shoulder seat belts for the best protection. All children younger than 13 years should ride in the back seat.

- · Are often bigger in size, so it is important to check that they fit in the vehicle while rear facing.
- Do not have the convenience of a carrying handle or separate base; however, they may have higher limits in rear-facing weight (up to 40-50 pounds) and height than rear-facing-only seats, which make them ideal for bigger babies and toddlers.

## **Installation Tips for Rear-Facing Seats**

Always read the vehicle owner's manual and the car safety seat manual before installing the seat.

When using a rear-facing seat, keep the following tips in mind:

- · Place the harnesses in your rearfacing seat in slots that are at or below your baby's shoulders.
- Ensure that the harness is snug (you cannot pinch any slack between your fingers when testing the harness straps over the child's shoulders) and that the harness chest clip is placed at the center of the chest, even with your child's armpits.
- · Make sure the car safety seat is installed tightly in the vehicle with either LATCH or a locked seat belt. If you can move the seat at the belt path more than an inch side to side or front to back, it's not tight enough.
- · Never place a rear-facing seat in the front seat of a vehicle that has an active front passenger airbag. If the



Figure 2. Rear-facing-only car safety seat.



Figure 3. Convertible car safety seat used rear facing.

- airbag inflates, it will hit the back of the car safety seat, right where your child's head is, and could cause serious injury or death.
- If you are using a convertible or 3-in-1 seat in the rear-facing position, make sure the seat belt or lower anchor webbing is routed through the correct belt path. Check the instructions that came with the car safety seat to be sure.
- Make sure the seat is at the correct angle so your baby's head does not flop forward. Check the instructions to find out the correct angle for your seat and how to adjust the angle if needed. All rear-facing seats have built-in angle indicators or adjusters.
  - · Check the car safety seat instructions and vehicle owner's manual about whether the car safety seat may contact the back of the vehicle seat in front of it.

· Still having trouble? Check with a certified CPST in your area who can help. If You Need Installation Help for information on how to locate a CPST.

#### **Common Questions**

#### Q: What if my child's feet touch the back of the vehicle seat?


A: This is a very common concern of parents, but it should cause them no worry. Children can bend their legs easily and will be comfortable in a rear-facing seat. Injuries to the legs are very rare for children facing the rear.

# Q: What do I do if my child slouches down or to the side in the car safety seat?

A: You can try placing a tightly rolled receiving blanket on both sides of

Figure 4. Car safety seat with a small cloth between the crotch strap and infant; harness chest clip positioned at the center of the chest, even with the infant's armpits; and tightly rolled receiving blankets on both

sides of the infant. your child. Many manufacturers allow the use of a tightly rolled small diaper or cloth between the crotch strap and your child, if necessary, to prevent slouching. Do not place padding under or behind your child or use any sort of car safety seat insert unless it came with the seat or was made by the manufacturer for use with that specific seat.



A: Bulky clothing, including winter coats and snowsuits, can compress in a crash and leave the straps too loose to restrain your child, leading to increased risk of injury. Ideally, dress your baby in thinner layers and wrap a coat or blanket around your baby over the buckled harness straps if needed.

# Q: Do preemies need a special car safety seat?

A: A car safety seat should be approved for a baby's weight. Very small babies who can sit safely in a semi-reclined position usually fit better in rear-facing-only seats. Preterm babies should be tested while still in the hospital to make sure they can sit safely in a semi-reclined position. Babies who need to lie flat during travel should ride in a car bed that meets Federal Motor Vehicle Safety Standard 213. They should be tested while in the hospital to make sure they can lie safely in the car bed.

# Toddlers and Preschoolers—Forward-Facing Seats

Always read the vehicle owner's manual and the car safety seat manual before installing the seat.



Any child who has outgrown the rear-facing weight or height limit for her convertible seat should use a forward-facing seat with a harness for as long as possible, up to the highest weight or height allowed by her car safety seat manufacturer. It is best for children to ride in a seat with a harness as long as possible, at least to 4 years of age. If your child outgrows a seat before reaching 4 years of age, consider using a seat with a harness approved for higher weights and heights.

#### **Types of Forward-Facing Car Safety Seat Restraints**

Four types of car safety seat restraints can be used forward facing.

- **1. Convertible seats**—Seats can "convert" from rear facing to forward facing. These include 3-in-1 seats.
- **2. Combination seats with harness**—Seats can be used forward facing with a harness for children who weigh up to 40 to 90 pounds (depending on the model) or without the harness as a booster (up to 80–120 pounds, depending on the model).
- 3. Built-in seats—Some vehicles come with built-in forward-facing seats. Weight and height limits vary. Do not use built-in seats until your child has reached the highest weight or height allowed for your rear-facing convertible car safety seat. Read your vehicle owner's manual for details about how to use these seats.
- **4. Travel vests**—Vests can be worn by children between 20 pounds and 168 pounds and can be an option to traditional forward-facing seats. They are useful for when a vehicle has lap-only seat belts in the rear, for children with certain special needs, or for children whose weight has exceeded that allowed by car safety seats. These vests usually require use of a top tether.

### **Installation Tips for Forward-Facing Seats**

Always read the vehicle owner's manual and the car safety seat manual before installing the seat.

It is important that the car safety seat is installed tightly in the vehicle and that the harness fits your child snugly. To switch a convertible or 3-in-1 seat from rear facing to forward facing,

- Move the shoulder straps to the slots or harness position that is at or just above your child's shoulders. Check the instructions that came with the seat to be sure you are positioning the shoulder straps correctly.
- You may have to adjust the recline angle of the seat so that it sits more upright in your vehicle. Check the instructions to be sure.
- If using a seat belt, make sure it runs through the forward-facing belt path (be sure to follow car safety seat instructions) and that the seat belt is locked and tightened.
- If using the lower anchors, make sure that the weight of your child plus the weight of the seat does not exceed 65 pounds. Most seats now state the maximum child weight to use the anchors in the manual and on the stickers on the side. If the child weighs too much, families must use the seat belt to install.
- Always use the top tether when you can. A tether is a strap that is attached to the top part of a car safety seat and holds the seat tightly by connecting to an anchor point in your vehicle (often on the seat back or rear shelf; see your vehicle owner's manual to find where tether anchors are in your vehicle). Tethers give important extra protection by keeping the car safety seat and your child's head from moving too far forward in a crash or sudden stop. All new cars, minivans, and light trucks are required to have tether anchors as of September 2000. Forward-facing seats come with tether straps. A tether should always be used as long as your child has not reached the top weight limit for the tether anchor. Check the car safety seat instructions and vehicle owner's manual for information about the top weight limit and locations of tether anchors.

#### **Common Question**

# Q: What if I drive more children than can be buckled safely in the back seat?

A: It's best to avoid this, especially if your vehicle has airbags in the front seat. All children younger than 13 years should ride in the back seat. If absolutely necessary, a child in a forward-facing seat with a harness may be the best choice to ride in front. Just be sure the vehicle seat is moved as far back away from the dashboard (and airbag) as possible.



**Figure 5.** Forward-facing car safety seat with a harness.

# School-aged Children—Booster Seats

Booster seats are for older children who have outgrown their forward-facing seats. All children whose weight or height exceeds the forward-facing limit for their car safety seat should use a belt-positioning booster seat until the vehicle seat belt fits properly, typically when they have reached 4 feet 9 inches in height and are 8 through 12 years of age. Most children will not fit in most vehicle seat belts without a booster until 10 to 11 years of age. All children younger than 13 years should ride in the back seat. Instructions that come with your car safety seat will tell you the height and weight limits for the seat. As a general guideline, a child has outgrown a forward-facing seat when any of the following situations is true:

- He reaches the top weight or height allowed for his seat with a harness. (These limits are listed on the seat and in the instruction manual.)
- · His shoulders are above the top harness slots.
- $\boldsymbol{\cdot}$  The tops of his ears have reached the top of the seat.

# **Types of Booster Seats**

High-back and backless are 2 standard types of booster seats. They do not come with harness straps but are used with lap and shoulder seat belts in your vehicle, the same way an adult rides. They are designed to raise a child up so that lap and shoulder seat belts fit properly over the strongest parts of the child's body.

Most booster seats are not secured to the vehicle seat with the seat belt or lower anchor and tether but simply rest on the vehicle seat and are held in place once the seat belt is fastened over a child. However, some models



**Figure 6.** Belt-positioning booster seat.

of booster seats can be secured to the vehicle seat and kept in place using the lower anchors or top tether. (Currently, only a few vehicle manufacturers offer built-in booster seats.)

#### **Installation Tips for Booster Seats**

When using a booster seat, always read the vehicle owner's manual and the car safety seat manual before installing the seat. Booster seats often have a plastic clip or guide to correctly position vehicle lap and shoulder belts. See the booster seat instruction manual for directions on how to use the clip or guide.

Booster seats must be used with a lap and shoulder belt. When using a booster seat, make sure

- · The lap belt lies low and snug across your child's upper thighs.
- The shoulder belt crosses the middle of your child's chest and shoulder and is off the neck.

If your booster seat has lower anchors or top-tether attachments, check its manual for installation instructions.

#### **Common Questions**

#### Q: What if my car has only lap belts in the back seat?

- A: Lap belts work fine with rear-facing-only, convertible, and forward-facing seats that have an internal harness but can never be used with a booster seat. If your car has only lap belts, use a forward-facing seat that has a harness and higher weight limits. You could also
- · Check to see if shoulder belts can be installed in your vehicle.
- Use a travel vest (check the manufacturer's instructions about the use of lap belts only and about the use of lap and shoulder belts).
- Consider buying another car with lap and shoulder belts in the back seat.

# Q: What is the difference between high-back boosters and backless boosters?

A: Both types of boosters are designed to raise your child so seat belts fit properly, and both will reduce your child's risk of injury in a crash. High-back boosters should be used in vehicles without headrests or with low seat backs. Many seats that look like high-back boosters are actually combination seats. They come with harnesses that can be used for smaller children and, later, removed for older children. Backless boosters are usually less expensive and are easier to move from one vehicle to another. Backless boosters can be used safely in vehicles with headrests and high seat backs.

# Older Children—Seat Belts

Seat belts are made for adults. Children should stay in a booster seat until adult seat belts fit correctly, typically when children reach about 4 feet 9 inches in height and are 8 through 12 years of age. Most children will not fit in a seat belt alone until 10 to 11 years of age. When children are old enough and large enough to use the vehicle seat belt alone, they should always use lap and shoulder seat belts for the best protection. All children younger than 13 years should ride in the back seat.



**Figure 7.** Lap and shoulder seat belt.

#### Using a Seat Belt

#### 1. An adult seat belt fits correctly when

- The shoulder belt lies across the middle of the chest and shoulder, not the neck or throat.
- $\boldsymbol{\cdot}$  The lap belt is low and snug across the upper thighs, not the belly.
- Your child is tall enough to sit against the vehicle seat back with her knees bent over the edge of the seat without slouching and can comfortably stay in this position throughout the trip.

#### 2. Other points to keep in mind when using seat belts include

 Make sure your child does not tuck the shoulder belt under her arm or behind her back. This leaves the upper body unprotected and adds extra slack to the seat belt system, putting your child at risk of severe injury in a crash or with sudden braking.  Never allow anyone to "share" seat belts. All passengers must have their own car safety seats or seat belts.

#### **Common Question**

# Q: I've seen products that say they can help make the seat belt fit better. Should we get one of these?

A: No, these products should not be used. They may actually interfere with proper seat belt fit by causing the lap belt to ride too high on the stomach or making the shoulder belt too loose. They can even damage the seat belt. This rule applies to car safety seats too; do not use extra products unless they came with the seat or are specifically approved by the seat manufacturer. These products are not covered by any federal safety standards, and the AAP does not recommend they be used. As long as children are riding in the correct restraint for their size, they should not need to use additional devices.

# **Shopping for Car Safety Seats**

When shopping for a car safety seat, keep the following tips in mind:

- No one seat is the "best" or "safest." The best seat is the one that fits your child's size, is correctly installed, fits well in your vehicle, and is used properly every time you drive.
- Don't decide by price alone. A higher price does not mean the seat is safer or easier to use.
- Avoid used seats if you don't know the seat's history. Never use a car safety seat that
- Is too old. Look on the label for the date it was made. Check with the manufacturer to find out how long it recommends using the seat.
- Has any visible cracks on it.
- Does not have a label with the date of manufacture and model number.
   Without these, you cannot check to see if the seat has been recalled.
- Does not come with instructions. You need them to know how to use the seat. Instructions can be found on manufacturer Web sites or by contacting the manufacturer.
- Is missing parts. Used car safety seats often come without important parts. Check with the manufacturer to make sure you can get the right parts.
- Was recalled. You can find out by calling the manufacturer or contacting the National Highway Traffic Safety Administration (NHTSA) Vehicle Safety Hotline at 888/327-4236. You can also visit the NHTSA Web site at www.safercar.gov.
- Do not use seats that have been in a moderate or severe crash. Seats that were in a minor crash may still be safe to use, but some car safety seat manufacturers recommend replacing the seat after any crash, even a minor one. The NHTSA considers a crash minor if all the following situations are true:
- The vehicle could be driven away from the crash.
- The vehicle door closest to the car safety seat was not damaged.
- No one in the vehicle was injured.
- The airbags did not go off.
- You can't see any damage to the car safety seat.

If you have specific questions about the car safety seat, contact the manufacturer.

# **About Airbags**

• Front airbags are installed in all new cars. When used with seat belts, airbags work well to protect teenagers and adults; however,

airbags can be very dangerous to children, particularly those riding in rear-facing seats, and to preschool- and young school-aged children who are not properly restrained. If your vehicle has a front passenger airbag, infants in rear-facing seats must ride in the back seat. Even in a relatively low-speed crash, the airbag can inflate, strike the car safety seat, and cause serious brain injury and death.

Vehicles with no back seat or a back seat that is not made for passengers are not the best choice for traveling with small children; however, the airbag can be turned off in some of these vehicles if the front seat is needed for a child passenger. See your vehicle owner's manual for more information.

• Side airbags are available in most new cars. Side airbags improve safety for adults in side-impact crashes. Read your vehicle owner's manual for more information about the airbags in your vehicle. Read your car safety seat instructions and the vehicle owner's manual for guidance on placing the seat next to a side airbag. See Manufacturer Web Sites on Car Safety Seats 2019 List handout.

# **About Carpooling**

If your child is being driven by someone else, make sure

- The car safety seat your child will be using fits properly in the vehicle used for transport.
- The car safety seat being used is appropriate for the age and size of your child.
- The person in charge of transporting your child knows how to install and use the car safety seat correctly.

Child care programs and schools should have written guidelines for transporting children, including

- All drivers must have a valid driver's license. In some states, school bus drivers need to have a special type of license.
- Staff to child ratios for transport should meet or exceed those required for the classroom.
- Every child should be supervised during transport, either by school staff or a parent volunteer, so the driver can focus on driving.
- School staff, teachers, and drivers should know what to do in an emergency, know how to properly use car safety seats and seat belts, and be aware of other safety requirements.

# **About Car Safety Seats on Airplanes**

The Federal Aviation Administration (FAA) and the AAP recommend that children less than 40 pounds be securely fastened in certified child restraints when flying. This will help keep them safe during takeoff and landing or in case of turbulence. Most rear-facing, convertible, and forward-facing seats can be used on airplanes, but booster seats and travel vests cannot.

Read your seat's instruction manual and look for a label on the car safety seat that says, "This restraint is certified for use in motor vehicles and aircraft." You can also consider using a restraint made only for use on airplanes and approved by the FAA. Larger children may use the airplane

healthy children.org

ered by pediatricians. Trusted by parents

seat belt or continue to use their car safety seat on the airplane as long as it is labeled for use on aircraft and the child has not exceeded the seat's weight or height limit. Remember that your child will need an appropriate car safety seat to use at your destination. For more information, visit the FAA Web site at www.faa.gov/travelers/fly\_children or the CARES (Airplane Safety Harness for Children) Web site at www.kidsflysafe.com.

# If You Need Installation Help

If you have questions or need help installing your car safety seat, find a certified child passenger safety technician (CPST). Lists of certified CPSTs and child seat-fitting stations are available on the following Web sites:

#### **National Child Passenger Safety Certification**

https://cert.safekids.org (Click on "Find a Tech" or call 877/366-8154.)

Includes list of CPSTs fluent in Spanish and other languages or with extra training in transportation of children with special needs.

#### **NHTSA Parents and Caregivers**

www.safercar.gov/parents/index.htm

# **Important Reminders**

- **1. Be a good role model.** Make sure you always wear your seat belt. This will help your child form a lifelong habit of buckling up.
- 2. Make sure that everyone who transports your child uses the correct car safety seat or seat belt on every trip, every time. Being consistent with car safety seat use is good parenting, reduces fussing and complaints, and is safest for your child.
- 3. Never leave your child alone in or around cars, and lock your vehicle when not in use. Any of the following situations can happen when a child is left alone in or around a vehicle. A child can
  - Die of heatstroke because temperatures can reach deadly levels in minutes.
- Be strangled by power windows, retracting seat belts, sunroofs, or accessories.
- · Knock the vehicle into gear, setting it into motion.
- · Be backed over when the vehicle backs up.
- Become trapped in the trunk of the vehicle.
- 4. Always read and follow the manufacturer's instructions for your car safety seat. If you do not have those, write or call the company's customer service department. They will ask you for the model number, name of seat, and date of manufacture. The manufacturer's address and phone number are on a label on the seat. Also, be sure to follow the instructions in your vehicle owner's manual about using car safety seats. Some manufacturers' instructions may be available on their Web sites.
- 5. Remember to fill out and mail in the registration card that comes with the car safety seat. You can also register your seat on the manufacturer's Web site. It will be important in case the seat is recalled.

Figure 1 adapted from US Department of Transportation, National Highway Traffic Safety Administration. LATCH Makes Child Safety Seat Installation as Easy as 1-2-3. DOT HS publication 809 489. Published March 2011.

Figures 2, 3, 5, 6, and 7 by Anthony Alex LeTourneau.

Figure 4 from Bull MJ, Engle WA; American Academy of Pediatrics Committee on Injury, Violence, and Poison Prevention, Committee on Fetus and Newborn. Safe transportation of preterm and low birth weight infants at hospital discharge. Pediatrics. 2009;123(5);1424–1429.

American Academy of Pediatrics

DEDICATED TO THE HEALTH OF ALL CHILDREN®



The American Academy of Pediatrics (AAP) is an organization of 67,000 primary care pediatricians, pediatric medical subspecialists, and pediatric surgical specialists dedicated to the health, safety, and well-being of infants, children, adolescents, and young adults.

The persons whose photographs are depicted in this publication are professional models. They have no relation to the issues discussed. Any characters they are portraying are fictional. The appearance of the name American Academy of Pediatrics (AAP) does not constitute a guarantee or endorsement of the products listed or the claims made. The AAP is not responsible for the content of external resources. Information was current at the time of publication. The information contained in this publication should not be used as a substitute for the medical care and advice of your pediatrician. There may be variations in treatment that your pediatrician may recommend based on individual facts and circumstances.

Photo courtesy of National Highway Traffic Safety Administration.

© 2019 American Academy of Pediatrics. All rights reserved.